

CAPITULO VI

REFERÊNCIAS BIBLIOGRÁFICAS

- ACSM (1999). Manual ACSM para la Valoración y Prescripción del Ejercicio. Barcelona: Paidotribo.
- ACSM (2000). Teste de Esforço e Prescrição do Exercício (Quinta Edição). Rio de Janeiro: Revinter.
- American Heart Association. (2002). Heart and stroke statistical update. available: www.Americanheart.org/presenter.jhtml?identifier=3000093
- Appel, J. & Mota, J. (1991). Desporto e Envelhecimento. Revista Horizonte. Vol. 8, nº 44, pp. 43-46
- Barata, T. & Horta, L. (1995). Actividade Física e Prevenção Primária das Doenças Cardiovasculares. Revista Horizonte, Vol.: XII, nº 67, pp. 36-40.
- Barata, T., & Clara, H. (1997). Actividade física nos idosos. In Barata, T. ed. (1997). Actividade Física e Medicina Moderna (pp. 223-233). Odivelas: Europress.
- Berger, L. & Poirier, D. (1995). Pessoas Idosas: Uma Abordagem Global. Lisboa: Lusodidacta.
- Bohr, N. (2002) C-reactive protein –To screen or not to screen?. N Engl J Med; vol.347, nº20.
- Braunwald, E., (1997), Lecture – cardiovascular medicine at the turn of the millenium: triumphs, concerns, and opportunities. N Engl J Med. 337:1360-1369.
- Brezis. (2003) C-reactive protein in the Prediction of cardiovascular events. N Engl J Med; 348.
- Carvalho, J., (1999). Aspectos metodológicos no trabalho com idosos. In Mota, J. & Carvalho, J. eds. (1999). Actas do Seminário – A Qualidade de Vida do Idoso: O Papel da Actividade Física (pp. 95-103). Porto: Gabinete de Desporto de Recreação e Tempos Livres. F.C.D.E.F.-U.P.
- Costa, M. & Rodrigues, S. (2000). Aptidão Física e Padrões de Actividade Física em Adultos Idosos. Dissertação de Mestrado. Porto: Faculdade de Ciências do Desporto e Educação Física da Universidade do Porto.

- Danesh J, Wheeler JG, Hirshfield GM, et al. (2004) C-reactive protein and other circulating markers of Inflammation in the Prediction of coronary heart disease. *N Engl J Med*; 350.
- Fernandez-Real, J.M., Vayreda, M., Richart, C., et al., (2001), Circulating interleukin 6 levels, blood pressure, and insulin sensitivity in apparently healthy men and women. *J. Clin Endocrinol Metab.* 86:1154-1159.
- Fiatarone, M., Marks, E., Ryan, N., Meredith, C., Lipsitz, L. & Evans, W. (1990). High-intensity strength training in nongenarians: effects on skeletal muscle. *s.l.*
- Glynn & Cook. (2004) C-reactive protein and coronary heart disease. *N Engl J Med*; 351;
- Haverkate, F., Thompson, S.G., Pyke, S.D. et al., (1997). Production of C-reactive protein and risk of coronary events in stable and unstable angina. European Concerted Action on Thrombosis and Disabilities Angina Pectoris Study Group. *Lancet.*; 349:462-466.
- Koenig, w., Sund, M., Frohlich, M., et al., (1999). C-reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially healthy middle-aged men: results from the MONICA (Monitoring trends and Determinants in Cardiovascular Disease) Augsburg Cohort Study, 1984 to 1992. *Circulation.*; 99:237-242.
- Koenig. (2003) C-reactive protein and cardiovascular risk: an update of what is going on in cardiology. *Nephrol Dial Transplant*; 18:1039-1041.
- Kuller, L.H., Tracy, R.P., Shaten, J., et al., (1996). Relation of C-reactive protein and coronary heart disease in the MRFIT nested case-control study. Multiple Risk Factor Intervention Trial. *Am. J. Epidemiol*; 144:537-47
- Lima, J. & Silva, A. I., (2002). Ser idoso: estudo de uma população. *Revista Geriatria.* Vol. 14, nº 140, pp. 12-18.
- Liuzzo, G., Biasucci, L.M., Gallimore, J.R., Grillo, R.L., Rebuffi, A.G., Pepys, M.B., Maseri, A., (1994). The prognostic value of C-reactive protein and serum amyloid A protein in severe and stable angina. *N Engl J Med.*; 331:417-424

- Martins, R. & Gomes, G. (2002). Exercício físico no idoso: estudo comparativo da condição física num grupo de idosas sedentárias, antes e após um programa de exercícios físicos. *Revista Geriatria*. Vol. 15, nº 147, pp. 9-18.
- Marques, A. (1996). A Prática da Actividade Física nos Idosos: As Questões Pedagógicas. *Revista Horizonte*, Vol.: XIII, nº 74, pp. 11-17.
- Matsudo, S. & Matsudo, V. (1993). Prescrição e benefícios da actividade física na terceira idade. *Revista Horizonte*. Vol. 9, nº 54, pp. 221-228.
- Mendall MA, Pattel P, Ballam L, Strachan D, Northfield TC. C-reactive protein and its relation to cardiovascular risk factor: a population based cross sectional study. *Br Med J*. 1996; 312: 1061-5
- Morrow, D., Ridker, P., (1999). Inflammation in cardiovascular disease. In: Topol E, editor. *Textbook of cardiovascular medicine updates*. Cedar Knolls, New jersey: Lippincott-Williams & Wilkins;
- Mota, J., (1999). Promoção da actividade física nos idosos: uma perspectiva global. In Mota, J. & Carvalho, J. eds. (1999). *Actas do Seminário – A Qualidade de Vida do Idoso: O Papel da Actividade Física* (pp. 65-69). Gabinete de Desporto de Recreação e Tempos Livres. Porto: F.C.D.E.F.-U.P.
- Nieman, D., (1999a). O idoso. *Exercício e Saúde* (pp. 289-299). São Paulo: Edições Manole.
- Nieman, D., (1999b). Os benefícios do exercício regular. *Exercício e Saúde* (pp. 301-309). São Paulo: Edições Manole.
- Nunes, L., ed. (1995), *A importância do exercício físico na saúde* (pp. 9-15). Lisboa: s.l.
- Paffenberger, R. S., Blair, S. N. & Hyde, R. T. (1993) Measurement of physical activity to assess health in free-living populations. *Medicine & Science in Sports & Exercise*. Vol. 1, nº 25, pp. 60-70.
- Peralta, E. & Silva, M. E. D., (2002). Perspectivas da velhice em idoso com diferentes situações de vida. *Revista Geriatria*. Vol. 15, nº 148, pp. 9-16.
- Pinto, A. (2000). *Saúde e Exercício Físico*. Coimbra: Quarteto Editora.

- Pollock, M. (1989). Exercise prescriptions for the elderly. In Spidurso, W. & Eckert, H. eds. (1998). *Physical Activity and Aging*. American Academy of Physical Education. Papers, 22 (pp. 163-171). Champaign, Illinois: Human Kinetics.
- Ridker PM, Cushman M, Stampfer MJ et al. (1998) Plasma Concentrations of c-reactive protein and the risk of developing peripheral vascular disease. *Circulation*; 97: 425-428.
- Ridker PM, Buring JE, Shih J, Matias M, Hennekens CH. Prospective (1998) Study of c-reactive protein and the risk of future cardiovascular events among apparently healthy women. *American Heart Association*; 731-733.
- Ridker, P., Hennekens, C.H., Buring, J.E., et al., (2000). C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. *N. Engl. J. Med.*; 342:836-843.
- Ridker, P.M., Rifai, N., Clearfield, M., et al., (2001). Measurement of C-reactive protein for the targeting of statin therapy in the primary prevention of acute coronary events. *N. Engl. J. Med.*; 344:1959-1965.
- Ridker PM, Rifai N, Rose L, Buring JE, Cook NR. (2002) Comparison of c-reactive protein and low density lipoprotein cholesterol levels in the prediction of first cardiovascular events. *N Engl J Med*; 347: 1557-1565.
- Ridker, P., Morrow, D., (2003). C-reactive protein, inflammation, and coronary risk. *Cardiol Clin*. 315-325
- Ridker PM. (2003) Clinical application of c-reactive protein for cardiovascular disease detection and prevention. *Circulation*; 107: 363-9.
- Rifai & Ridker. (2003) Population distributions of c-reactive protein in apparently healthy men and women in the United States: implication to clinical interpretation. *Clin Chem*; 49:666-669.
- Rodhe, L.E., Hennekens, C.H., Ridker, P.M., (1999). Survey of C-reactive protein and cardiovascular risk factors in apparently healthy men. *Am. J. Cardiol.*;84:1018-1022.
- Ross, R. (1998) The pathogenesis of atherosclerosis: a perspective for the 1990's. *Nature*; 362:425-428;

- Ross R., (1999). Atherosclerosis - an inflammatory disease. *N Engl J Med.*; 340:115–126.
- Sardinha, L. B., (2001). Concepção de programas de exercício para a pessoa idosa. Conferência Viver Activo. Leiria: s.l.
- Seals, D. R., Hagberg, J. M., Hurley, B. F., Ehasani, A. & Holloszy, J.O., (1984). Endurance training in older men and women: cardiovascular response to exercise. *Journal Applied Physiology* (pp.1024-1029). S.l.
- Shepard, R., ed. (1997). *Current Theories of Aging. Aging, Physical Activity and Health* (pp. 31-37). Champaign: Human Kinetics.
- Skinner, J., (1989). Biological, functional and chronological age. In Spidurso, W & Eckert. H. eds. (1998). *Physical Activity and Aging. American Academy of Physical Education. Papers, 22* (pp. 65-68). Champaign, Illinois: Human Kinetics.
- Spidurso, W. (1995). *Physical dimensions of aging. Publishers, Inc. Champaign, Illinois: Human Kinetics.*
- The World Health Organization issues guidelines for promoting physical activity among older persons (1997). The Heidelberg guidelines for promoting physical activity among older persons. *Journal of Aging and Physical Activity. Vol. 1, nº 5, pp. 1-8.*
- Tracy, R.P., Lemaitre, R.N., Psaty, B.M., et al., (1997). Relationship of C-reactive protein to risk of cardiovascular disease in the elderly: results from the Cardiovascular Health Study and Rural Health Promotion Project. *Arterioscler. Thromb. Vasc. Biol.*;17:1121-1127
- Tracy RP, Lemaitre RN, Psaty BM et al. (1997) Relationship of c-reactive protein to risk of cardiovascular Disease in the elderly. *Arterioscler Thromb Vasc Biol*; 17: 1121-7
- Tracy et al. (2003) The relation of c-reactive protein levels to total and cardiovascular mortality in older U.S. women. *The American Journal of Medicine*; vol 114; 199-205.
- Van der Meer IM, de Maat MPM, Kiliaan AJ, van der Kuip DAM, Hofman A, Witteman JCM. (2003) The Value of c-reactive protein in Cardiovascular risk prediction-The Rotterdam Study. *Arch Intern Med*; vol 163.

- Willcox BJ, Abbot RD, Katsuhiko Y, Beatriz LR, Willcox DC, Tanaka B Curb D. (2004) C-reactive protein as a novel risk factor for cardiovascular disease: Is it ready for prime time. *Cardiovascular Rev Rep*; 25(2): 66-69
- Yeh. (2004) C-reactive protein is an essential aspect of cardiovascular risk factor stratification. *Can J Cardiol*; vol20 Suppl B